

according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017

D445

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BUDENAT® ALKASEPT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Disinfectant cleaner, based on quaternary ammonium compounds, corrosive Process categories [PROC]: 8, 10

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	BUZIL-WERK Wagner GmbH & Co. KG Fraunhofer Str. 17 D-87700 Memmingen	
Telephone: e-mail: Internet:	+49 (0) 8331 930-6 info@buzil.de www.buzil.com	Telefax:+49 (0) 8331 930-880
1.4. Emergency telephone	+49 (0) 8331 / 930-730	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Substance or mixture corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1B Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: May be corrosive to metals. May cause respiratory irritation. Causes severe skin burns and eye damage. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-aminoethanol, ethanolamine didecyldimethylammonium chloride

Signal word:

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017	D445
	D440

Page 2 of 11

Precautionary statements

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 P310	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regu	ulation (EC) No. 1272/2008 [0	CLP]			
141-43-5	5 2-aminoethanol, ethanolamine					
	205-483-3	603-030-00-8	01-2119486455-28			
	Acute Tox. 4, Acute Tox. 4, Acut	e Tox. 4, Skin Corr. 1B, STO	T SE 3; H332 H312 H302 H314 H335			
7173-51-5	didecyldimethylammonium chlo	ride		5 - < 10 %		
	230-525-2	612-131-00-6				
	Acute Tox. 4, Skin Corr. 1B, Aqu H400 H411	, Aquatic Chronic 2; H302 H314				
584-08-7	potassium carbonate			5 - < 10 %		
	209-529-3		01-2119532646-36			
	Skin Irrit. 2, Eye Irrit. 2, STOT S	E 3; H315 H319 H335				
68439-49-6	fatty alcohol polyethoxilate			5 - < 10 %		
	Eye Irrit. 2; H319					
67-63-0	propan-2-ol; isopropyl alcohol; i		1 - < 5 %			
	200-661-7	603-117-00-0	01-2119457558-25			
	Flam. Liq. 2, Eye Irrit. 2, STOT	SE 3; H225 H319 H336				

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % cationic surfactants, 5 % - < 15 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017

D445

Page 3 of 11

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink or smoke.



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017

D445

Page 4 of 11

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber).

Breakthrough time (maximum wearing time) >480 min.

A survey of suitable brands with detailed information on breakthrough times is available upon request .

Skin protection

Wear suitable work clothing.

Respiratory protection

Use only in well-ventilated areas. In case of inadequate ventilation wear respiratory protection. (EN 14287, A1)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	
Odour:	characteristic
pH-Value (at 20 °C):	

approx. 13

according to Regulation (EC) No 1907/2006



f 11

Revision date: 04.08.2017	BUDENAT® ALKASEPT D445	Page 5 o
Changes in the physical state		
Melting point:	approx. 0 °C	
Initial boiling point and boiling range:	approx. 100 °C	
Flash point:	> 65 °C	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 25 °C):	1,06 g/cm³	
Water solubility:	completely miscible	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic: (at 25 °C)	< 30 mPa⋅s	
Vapour density:	not determined	
Evaporation rate:	not determined	
2. Other information		
Solid content:	not determined	

Exothermic reaction with: Acid

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017

D445

Page 6 of 11

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
141-43-5	2-aminoethanol, ethanol	2-aminoethanol, ethanolamine							
	oral	LD50 mg/kg	1089	Rat	OECD 401				
	dermal	LD50 mg/kg	1025	Rabbit	IUCLID				
	inhalation (4 h) vapour	LC50	1487 mg/l	Rat					
	inhalation aerosol	ATE	1,5 mg/l						
7173-51-5	didecyldimethylammoniu	m chloride							
	oral	LD50 mg/kg	238	Rat					
	dermal	LD50 mg/kg	3342	Rabbit					
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE				
584-08-7	potassium carbonate								
	oral	LD50 mg/kg	>2000	Rat	ATE				
	dermal	LD50 mg/kg	>2000	Rat	ATE				
	inhalation aerosol	LC50	>5 mg/l	Rat	ATE				
68439-49-6	fatty alcohol polyethoxila	te							
	oral	LD50 mg/kg	>2000	Rat	ATE				
	dermal	LD50 mg/kg	>2000	Rat	ATE				
	inhalation (4 h) aerosol	LC50	>5 mg/l	Rat	ATE				
67-63-0	propan-2-ol; isopropyl al	cohol; isoprop	banol						
	oral	LD50 mg/kg	>2000	Rat	ATE				
	dermal	LD50 mg/kg	>2000	Rat	ATE				
	inhalation vapour	LC50	>20 mg/l	Rat	ATE				

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (2-aminoethanol, ethanolamine)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017

D445

Page 7 of 11

12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
141-43-5	2-aminoethanol, ethanola	-aminoethanol, ethanolamine							
	Acute fish toxicity	LC50	170 mg/l	96 h	Carassius auratus (goldfish)	APHA 1971			
	Acute algae toxicity	ErC50	22 mg/l	72 h	Scenedesmus subspicatus	EG 92/69			
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna (Big water flea)				
	Fish toxicity	NOEC	1,2 mg/l	30 d	Oryzias latipes (Ricefish)				
	Crustacea toxicity	NOEC mg/l	0,85	21 d	Daphnia magna (Big water flea)	OECD 211			
7173-51-5	didecyldimethylammoniur	n chloride							
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Pimephales promelas (fathead minnow)				
	Acute algae toxicity	ErC50 mg/l	0,026		Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50 mg/l	0,062	48 h	Daphnia magna (Big water flea)				
584-08-7	potassium carbonate								
	Acute fish toxicity	LC50	>1 mg/l	96 h					
	Acute algae toxicity	ErC50	>1 mg/l						
	Acute crustacea toxicity	EC50	>1 mg/l	48 h					
68439-49-6	fatty alcohol polyethoxilat	e		-					
	Acute algae toxicity	ErC50 mg/l	19,6	72 h		OECD 201			
	Acute crustacea toxicity	EC50 mg/l	15,0	48 h	Daphnia magna (Big water flea)	OECD 202			
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	opanol						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h					
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h					

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017

D445

Page 8 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation	-	-				
141-43-5	2-aminoethanol, ethanolamine						
	OECD 302A/ ISO 9887/ EEC 92/69/V, C.12	>90%	21				
	Readily biodegradable (according to OECD criteria).						
7173-51-5	didecyldimethylammonium chloride						
	OECD 301	>70%	28				
	Readily biodegradable (according to OECD criteria).						
68439-49-6	fatty alcohol polyethoxilate						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	OECD 301	>60%	28				
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol, ethanolamine	-1,91

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

070601

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

Waste disposal number of waste from residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 1903



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT				
Revision date: 04.08.2017	D445	Page 9 of 1		
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:				
Hazard label:	8			
Classification code:	° C9			
Special Provisions:	274			
Limited quantity:	5 L			
Excepted quantity:	E1			
Transport category:	3			
Hazard No:	80			
Tunnel restriction code:	E			
nland waterways transport (ADN)				
14.1. UN number:	UN 1903			
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Classification code:	C9			
Special Provisions:	274			
Limited quantity:	5 L			
Excepted quantity:	E1			
larine transport (IMDG)				
14.1. UN number:	UN 1903			
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Marine pollutant:	yes			
Special Provisions:	223, 274			
Limited quantity:	5 L			
Excepted quantity:	E1			
EmS:	F-A, S-B			
ir transport (ICAO-TI/IATA-DGR)				
14.1. UN number:	UN 1903			
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			



	according to Regulation (EC) No 1907/2006	
Revision date: 04.08.2017	D445	Page 10 of 1
I4.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	yes	
14.6. Special precautions for user No special measures are necessary.		
14.7. Transport in bulk according to Anne not applicable	x II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reç	gulations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	< 30%	
Additional information		
Regulation (EC) No. 648/2004 (Dete	ergents regulation)	
National regulatory information		
Water contaminating class (D):	2 - clearly water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for su	bstances in this mixture were not carried out.	
SECTION 16: Other information		
IMDG: International Maritime Code for IATA: International Air Transport Assoc GHS: Globally Harmonized System of EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% 	ociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances chemical Substances HA guidance on information requirements and chemical safety inery in closed continuous process with occasional controlled exposure of ent conditions	or
PROC 7: Industrial spraying PROC 8 (Transfer): Dilution of conce agents. PROC 9: Transfer of substance or m PROC 10 (Roller application or brusl	entrated products, application of drain cleaners, dosage of textile washing nixture into small containers (dedicated filling line, including weighing) hing): Processing without large-scale spraying. al settings): Processing with large-scale spraying (e.g. high pressure	9



according to Regulation (EC) No 1907/2006

BUDENAT® ALKASEPT

Revision date: 04.08.2017	D445	Page 11 of 11
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)